



Treated Wood Waste (TWW) Bill of Lading

TWW Variance Violation: ☐ Yes ☐ No

If Yes, submit BOL to DTSC within 30 days at TWW_Variations@dtsc.ca.gov

Part I: To be Completed by TWW Generator

Generator TWW Variance #: _____

ER TWW Variance#: _____

1. Generator's Name:	2. *Generator's ID No. or US EPA No. (Optional):
3. Generator's Site Street Address (where TWW from):	4. Generator's Mailing Address (If Different From Site Address):
5. City: State: Zip:	6. City: State: Zip:
7. Generator's Telephone Number (Ext):	8. Contact Name (Print/Type): Telephone Number (Ext):
9. Treated Wood Waste Type Information (Circle All That Apply): <input type="checkbox"/> Railroad Ties <input type="checkbox"/> Tree Stakes <input type="checkbox"/> Pressure Treated Lumber <input type="checkbox"/> Mixed Load <input type="checkbox"/> Fence Posts <input type="checkbox"/> Other (Please Specify): _____	
10. Generator Type (Check One) <input type="checkbox"/> Residential <input type="checkbox"/> Commercial <input type="checkbox"/> Other TWW Facility	
11. CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described are not subject to hazardous waste regulations. Name (Print/Type): _____ Signature: _____ Date: _____	

Part II: To be Completed by TWW Transporter

Transporter TWW Variance # _____

1. Transporter Company Name:	2. Contact Name (Print/Type): Telephone Number (Ext):
3. Transporter Company Street Address:	4. City: State: Zip:
5. Driver's Name (Print/Type): _____	6. Driver's Signature: _____ Date _____
7. Driver's License Number: State Issued:	8. Vehicle License Plate Number (excluding trailers):

Part III: To be Completed by Gate Services Assistant (GSA)

1. Select Receiving Facility/Landfill (check one): <input type="checkbox"/> Badlands Sanitary Landfill (Variance # TWW-2021-DF-00137) – 31125 Ironwood Ave., Moreno Valley, CA 92555 <input type="checkbox"/> Lamb Canyon Sanitary Landfill (Variance # TWW-2021-DF-00136) – 16411 Lamb Canyon Rd, Beaumont, CA 92223 <input type="checkbox"/> El Sobrante Sanitary Landfill (Variance # TWW-2021-DF-00103) – 10910 Dawson Canyon Road, Corona, CA 92883		
2. Date of Arrival: Month/Day/Year _____	3. Net Weight of Load: _____ tons	4. Transaction #: _____
5. Designated Facility Owner or Operator: Certification of receipt of TWW covered by this Bill of Lading.		
GSA Name (Print/Type)/ #: _____		GSA Signature: _____

*US EPA or CA ID No. required only if full Generator Site Address not provided.

Advisory to Transporters that do not have a DTSC issued Treated Wood Waste (TWW) variance:

ADVISORY FROM THE DEPARTMENT OF TOXIC SUBSTANCES CONTROL: This notice is to advise you that in order to transport a hazardous waste, you must either be a registered hazardous waste transporter, or have received a variance from the Department of Toxic Substances Control. Further information on becoming a hazardous waste transporter or obtaining a variance can be found on DTSC's website at the following link: www.dtsc.ca.gov.

Failure to follow hazardous waste transportation rules may subject you to fines and penalties.

The statutory exemption for TWW generated by utilities is still in effect under Health and Safety Code section 25143.1.5. In order to qualify for this exemption, the TWW waste must have been removed from electric, gas, or telephone service.

Note - Who Needs a Variance? Per DTSC, anyone that generates, transports, receives and consolidates TWW from other locations, or disposes of TWW as hazardous waste starting January 1, 2021, but want to manage TWW according to alternative management standards in lieu of full hazardous waste management standards.

Homeowners who hire a contractor to work on their home (e.g., fence repair or deck replacement, etc.) will not require a TWW variance provided that the contractor transports the TWW for disposal. Contractors who transport TWW from a residential property will require a TWW variance or must follow hazardous waste transportation rules (e.g., register as a hazardous waste transporter and use a hazardous waste manifest).

There are four (4) categories of variances:

1. Small quantity **Generator**, self-transporter

This type of variance is for applicants who generate up to 10,000 lbs. of treated wood per calendar year. This variance allows the holder to accumulate and transport their own TWW in a manner consistent with the previously approved alternative management standards. DTSC expects this type of variance to apply to small businesses that generate limited quantities of TWW. ***This type of variance is expected to commonly apply to either a small business or other episodic generators of TWW.***

2. Large quantity **Generator**, self-transporter

This type of variance is for applicants who anticipate generating more than 10,000 lbs. of treated wood per calendar year. This variance will authorize the holder to accumulate and transport their own TWW in a manner consistent with the previously approved alternative management standards. To apply for this type of variance you must have a State or Federal Environmental Protection Agency (EPA) ID number. DTSC expects this type of variance to apply to large businesses and others that generated significant quantities of TWW. ***This type of variance is expected to commonly apply to large businesses and entities including, for example, wineries, municipalities, state agencies etc.***

3. **Transporter**

This type of variance is for applicants who transport treated wood directly from the generator to the disposal facility. The transporter must not have a fixed location where they accumulate or consolidate the waste. This variance will authorize the transporter to transport TWW without registering as a hazardous waste transporter or using hazardous waste manifest. DTSC expects this type of variance to commonly apply to contractors that perform residential work that generates TWW and other firms engaged specifically in waste hauling and transportation. ***This type of variance is expected to commonly apply to contractors (e.g. fencing contractors), and businesses engaged in waste hauling.***

4. Emergency Response (ER)

This type of variance is for those who are engaged in responding to a declared emergency. For example, this type of variance would apply to contractors involved in wildfire debris removal activities. This variance will authorize the holder to accept and transport TWW in a manner consistent with the previously approved alternative management standards. ***This type of variance is expected to apply to entities such as contractors performing wildfire debris removal. Variance requirements will apply to principal contractors, not sub-contractors (however, the sub-contractors must be identified in the application).***

*US EPA or CA ID No. required only if full Generator Site Address not provided.